

NEW TECH Treadmill



Peak Horse Power	4.0 HP
Peak Value	8.0 HP
Speed Range	up to 22 Km/h
Incline	3 Level Decline & 0-18 Level Auto Incline
Display	Content Calories, Pulse, Time, Distance, Incline, Decline, Speed
AC/DC	Ac Motor
N.W. / G.W.	239kg. /274kg.
Dimension	2200(L) x 1000(W) x 1960(H) mm
Walking Area	1650 x 600(mm)
Striding Belt Size	3500 x 600 (mm) Nylon Belt

ULTIMATE
GYM SOLUTIONS

Robust HD Treadmill



Peak Horse Power
Speed Range
Incline
Display Content

AC/DC
N.W.
G.W.
User Weight
Dimension
Walking Area
Striding Belt Size

8.0 HP
up to 25 Km/h
3 Level
Calories, Pulse, Time,
Distance, Incline, Decline, Speed
Ac Motor
208kg.
266kg
up to 200kg
2190(L) x 960(W) x 1580(H) mm
580 x 1580(mm)
3500 x 600 (mm) Nylon Belt

ULTIMATE
GYM SOLUTIONS

MONSTER Treadmill

IMPORTED TREADMILL

MOTOR : 4.0 H.P., 8.0 H.P. PEAK (AC MOTOR)
SPEED : 25 KM. / HR., INCLINE : 20 LEVEL INCLINE
RUNNING SURFACE : 1640 X 600 MM
DIMENSION : 2300 (L) X 1000 (W) X 2030 (H) MM
MACHINE WEIGHT : 275 KG.



ULTIMATE
GYM SOLUTIONS

19190 Treadmill



Monitor	LED White Light display (Touch Button)
Peak horse-power	4.0HP
Peak Value	8.0HP
Speed Range	0.8-24 Km/h
Incline	Auto Incline 0-20%
Display content	Calories, Pulse, Time, Distance, Incline, Speed
Programs	Manual 12 programs
AC/DC	AC
Shock absorption system	Multiple shock absorption
Running belt thickness	2.5 mm
Heart rate	Display heart rate through touching handles

Net weight	261 kg.
Maximum user's weight	200 kg.
Dimension	2190 x 970 x 1570 (mm.)
Walking area	1580 x 580 (mm.)
Striding belt size	3390 x 580 (mm.)
Gross weight	351 kg.

754 Treadmill

Technical parameters

Power	AC 220 + 10%
Peak horse-power	7.0 HP
Running belt	T 2.2mm.
Roller	100mm.
Speed	0.8-22 Km/h
Display content	Calories, Pulse, Time, Distance, Incline, Speed
Motor	3.5.0 HP AC
AC/DC	AC
Running deck	T 25mm.
Incline	20%
Shock absorption system	Multiple shock absorption
Screen size	White LED display
Handlebar	PU armrest / HIPS armrest is optional
Others	06 Program

Data

Belt Size	3465 x 580 (mm.)
Net weight	200 kg.
Maximum user's weight	165 kg.
Dimension	2190 x 880 x 1665 (mm.)
Walking area	1620 x 580 (mm.)
Gross weight	260 kg.



755 Treadmill



Screen Size	White LED display
Peak horse-power	7.0HP
Running belt	T 2.2mm
Speed Range	0.8-24 Km/h
Incline	20%
Display content	Calories, Pulse, Time, Distance, Incline, Speed
Motor	3.5.0 HP AC
AC/DC	AC
Shock absorption system	Multiple shock absorption
Handlebar	PU armrest /HIPS armrest is optional
Other	06 Program
Running Deck	T25mm.
Belt Size	3465x580 (mm.)
Net weight	200 kg.
Maximum user's weight	165 kg.
Dimension	2190 x 880 x 1665 (mm.)
Walking area	1680x 580 (mm.)
Striding belt size	3390 x 580 (mm.)
Gross weight	260 kg.

1985 Treadmill



Designed for:	Heavy Duty Commercial Use
Display:	LED Dot Matrix, 9 Window Digital Display
Motor:	AC 4.0 H.P., 8.0 H.P. Peak Duty
Programs:	Manual, 08 Preset, 3 User
Readouts :	Time, Speed, Distance, Calories, Pulse, Incline, Heart Rate
Speed :	Up to 22 km./hr.
Elevation:	20 Level Auto Incline
Deck Type:	Aseismic (Free from Shock) Running Board
Running Surface:	1600 x 600 m.m.
Belt Size:	3500 x 600 m.m. Nylon Belt
Dimensions:	2300 [l] x 950 [w] x 1650 [h] m.m.
User Weight:	Up to 195 kg.



7570 Treadmill



Dimension	2170 x 940 x 1450 (mm.)
Monitor	4.0HP
Peak Horse-Power	8.0 HP
Speed Range	1-22 Km/h
Incline	Auto Incline 0-20%
Display content	Calories, Pulse, Time, Distance, Incline, Speed
Programs AC/DC	24 Groups of Speed Preset Programs
Shock absorption system	AC
Handlebar	Multiple Shock Absorption
Heart Rate	PU Armrest /Hips Armrest is optional
	Display Heart Rate Through Touching Handles
Maximum user's Weight	185
Dimension	2170x940x1450 (mm.)
Walking Area	1570x590 (mm.)
Striding Belt Size	3340x590 (mm.)

ULTIMATE
GYM SOLUTIONS

900 Curve Treadmill

Specifications

Display Feature:

Time: 00:00 ~ 99:59 Min:Second
Speed: 0.0 ~ 999.9 Km/Hour
Path: 0.00 ~ 99.99Km
Calories: 0.0 ~ 999.9 Kilocalorie
Total path : 0.00 ~ 99.99 Km

Net Weight : 160KG

Max User Weight: 200KG

Resistance Level: Adjustable

Running range: 1600 x 480 mm



Stair Climber



- Step Area : 245X560 mm
 - Max Load weight :200kg
 - Rated Voltage : 220V Machine
 - Size : (L)1450 x (W)880 x (H)2140mm
-
- Advantage: Environmental Protection and Energy Conservation Aesthetics and Fashion
 - Stop: Infrared Sensor can avoid user Drop Down

PHOENIX

Spin Bike



Specifications

Dynamic & fashionable appearance with the overall streamlined design, bring you new riding feeling

Flywheel postposition is similar with the rear drive of bicycle, enhance the training effect with riding posture.

The rear flywheel can prevent sweat spattering on the flywheel during training and prolong the life of the bicycle.

Compared with the traditional spinning bike, covered rear flywheel can effectively protect the knee bumps and ensure safety when riding.

Light & easy to move

It is better & more convenient for the maintenance

Resistance Level: 21 different levels

Max user weight : 180 kgs

Size: 1560mm(L) x 576mm(W) x 1010-1215mm(H)

N.W. /G.W.: 60 / 64 kg

1905 Spin Bike

IMPORTED SPIN BIKE

RESISTANCE : BIG LEVER MAGNETIC

SEAT ADJUSTMENT : 30 STEP VERTICAL & 12" HORIZONTAL

DRIVE : V-BELT DRIVE FOR SMOOTH MOVEMENT

DIMENSION : 1600 (L) X 686 (W) X 1220 (H) MM

MACHINE WEIGHT : 79 KGS.



930 Spin Bike



Specifications

Size in mm	1068(l) x 526(w) x 1045-1300(H)
Net Weight	73 kg
Gross Weight	78 kg
Fly Wheel Weight	24 kg
Max User Weight	180 kg
tube Thikness	2.5mm
Bearing	M20
Packaging	Carbon
EN-957	Approved

1932 Spin Bike



Specifications

Size in mm	1068(l) x 526(w) x 1045-1300(H)
Net Weight	73 kg
Gross Weight	78 kg
Fly Wheel Weight	24 kg
Max User Weight	180 kg
tube Thikness	2.5mm
Bearing	M20
Packaging	Carbon
EN-957	Approved

738

Spin Bike

Specifications

Size in mm	1068(l) x 526(w) x 1045-1300(H)
Net Weight	73 kg
Gross Weight	78 kg
Fly Wheel Weight	24 kg
Max User Weight	180 kg
tube Thikness	2.5mm
Bearing	M20
Packaging	Carbon
EN-957	Approved



638

Spin Bike

Dimension: 1370(L) x 500(w) x 1160 (H) mm

Commercial Tubular Frame Construction.

Console :- Lcd Window

Resistance :- 1-8 Level Resistance

Handel Adjustment :- 5 Step Vertical & 4" Horizontal

Saddle Adjustment :- 9 Step Vertical & 4" Horizontal

Pedals :- Adjustable Commercial Grade

Non Slippery Pedals With Adjustable Straps

Drive :- V Belt Drive For Smooth Movement



ULTIMATE
GYM SOLUTIONS



571 Arc Trainer

Dimension 2030 [l] x 770 [w] x 1830[h] m.m.
User Weight Up to 180 kg.
N.W. 141 kg.

6011

Elliptical Trainer

High Power Self Generating Power System

Dimension 2216 [l] x 750 [w] x 1791 [h] m.m.

User Weight Up to 180 kg.

N.W. 118 kg.



ULTIMATE
GYM SOLUTIONS

771

Elliptical Trainer

High Power Self Generating System

Dimension 2210(l) x 711(w) x 1854(H)

User Weight Up to 160 kg

N.W. 129 kg



ULTIMATE
GYM SOLUTIONS



950 Elliptical Trainer 4 in 1

► TECHNICAL SPECIFICATIONS

- Console : LED with dot matrix
Programs : Pre-programs, manual, Interval, weight loss, target heart rate, fit test, random, warm up and warm down, etc total 12 programs
Function : Time, distance, calories, speed, watts, pulse,
Resistance : 24 Levels
Power supply: AC Plug
Power Incline: 15 Levels, Distance : 75mm
Stride Length: 264 mm.
Flywheel : 08 Kg
Crank arm : 132mm.
Water Bottle Cage, I-Pad Holder, Mobile Phone Holder

► DIMENSIONS AND WEIGHT

- Dimensions : 1660 [l] x 880 [w] x 1780 [h] m.m.
Max. U.W. : 150 kg.
Machine N.W.: 116 kg.

526

Elliptical Trainer



Designed for :	Commercial
Console :	LED Dot Matrix with 5, Windows
Programs:	4 User Set, 12 Preset, Weight Loss, Target Heart Rate, Fit test, Random, Warm up and Warm down.
Readouts :	Time, Speed, Distance, Calories, Pulse, RPM
Resistance :	32 Levels Electronically controlled Magnetic resistance system, Super Smooth Drive & precise control over the resistance
Pedals:	Comfortable Oversized Ergonomically Positioned
Hand Pulse :	Conveniently placed on hand rails
Stride :	540 m.m.
Crank :	3 Pcs
User Weight :	Up to 150 kg.
Machine N.W.:	114 kg.
Dimension :	2110 [l] x 790 [w] x 1830 [h] m.m.
Special Feature :	Tablet & Smart Phone Holder



929 Elliptical Trainer

► TECHNICAL SPECIFICATIONS

- Console : Large 6 inch multicolored LCD.
- Programs : Manual, HRC, Watts, Body Fat, User Set, 12 Preset programs
- Function : Elapsed Time, Active Speed / Active RPM , Distance Covered, Watt Usage / Calories Used, Active Pules (Heart Rate), Operating
- Power System : Hasslefree electric power system.
- Resistance : Electronically controlled magnetic resistance system super smooth drive & precise control over the resistance
- Stride : 520 mm.

► DIMENSIONS AND WEIGHT

- Dimensions : 1750 [l] x 640 [w] x 1610 [h] m.m.
- Max. U.W. : 140 kg.



2002 Elliptical Trainer


Dimension 1800 [l] x 710 [w] x 1730 [h] m.m.

User Weight Up to 120 kg.

N.W. 78 kg.



ULTIMATE
GYM SOLUTIONS



LARGE LED DOT MATRIX DISPLAY



8010

Elliptical Trainer

► TECHNICAL SPECIFICATIONS

- Console : LED Dot Matrix Display
- Programs : Manual, 08 Preset, User Set, Hrc,
- Function : Time, Distance, Calories, Matts, Mets, Pulse, RPM
- Resistance : 16 Levels Electromagnetic
- Power supply: Self-Generator
- Stride : 500mm

► DIMENSIONS AND WEIGHT

- Dimensions : 2140 [l] x 720 [w] x 1820 [h] m.m.
- Max. U.W. : 180 kg.
- Machine Net Weight : 118kg.

ULTIMATE
GYM SOLUTIONS

670

Recumbent Bike

Dimension 1630 [l] x 660 [w] x 1050 [h] m.m.


N.W. 43 kg.



ULTIMATE
GYM SOLUTIONS

952

Recumbent Bike



► TECHNICAL SPECIFICATIONS

Console	: LED with dot matrix
Programs	: Pre-programs, manual, Interval, weight loss, target heart rate, fit test, random, warm up and warm down, etc total 12 programs
Function	: Time, distance, calories, speed, level, watts, pulse, profile, fan, mp3
Min RPM	: 60RPM
Max Watt	: 400W
Resistance	: 20 Levels
Power supply:	Self-Generator
Flywheel	: 15 Kg
Crank arm	: 175mm

► DIMENSIONS AND WEIGHT

Dimensions	: 1615 [l] x 710 [w] x 1390 [h] m.m.
Max. U.W.	: 150 kg.
Machine N.W.:	75 kg.

592

Recumbent Bike

► TECHNICAL SPECIFICATIONS

Console	: Dual LCD Backlight Display
Programs	: 01 Manual, 6 Pre-programs, 1 Body Fat Program 1 Target Heart Rate Program, 3 Heart Rate Control Program And 1 User Program
Hand Pulse	: Conveniently placed on hand rails
Crank arm	: 6.7" , 3 pcs. Crank
Brake	: Belt Drive
Seat Adj.	: Multi Angle Adjustment
Flywheel	: 9 Kgs. One way

► DIMENSIONS AND WEIGHT

Dimensions	: 1460 [l] x 6550 [w] x 1090 [h] m.m.
Max. U.W.	: 135 kg.
Machine N.W.	: 54 kg.



- Time
- Distance
- Calories
- Age
- Watt
- Heart Rate

ULTIMATE
GYM SOLUTIONS

591

Upright Bike

► TECHNICAL SPECIFICATIONS

Console	: Dual LCD Backlight Display
Programs	: 01 Manual, 6 Pre-programs, 1 Body Fat Program 1 Target Heart Rate Program, 3 Heart Rate Control Program And 1 User Program
Hand Pulse	: Conveniently placed on hand rails
Crank arm	: 6.7" , 3 pcs. Crank
Brake	: Belt Drive
Seat Adj.	: Horizontal and Vertical
Flywheel	: 9 Kgs. One way

► DIMENSIONS AND WEIGHT

Dimensions	: 1150 [l] x 600 [w] x 1470 [h] m.m.
Max. U.W.	: 135 kg.
Machine N.W.:	41 kg.



594 Upright Bike



Console Readouts :

- Scan
- Time
- Speed
- Distance
- Odometer
- Calories



► TECHNICAL SPECIFICATIONS

Console	:	Large Screen LCD
Resistance	:	08 Level Magnetic
Hand Pulse	:	Conveniently placed on hand rails
Crank arm	:	6.7" , 3 pcs. Crank
Brake	:	Belt Drive
Seat Adj.	:	Horizontal and Vertical
Flywheel	:	6 Kgs. One way

► DIMENSIONS AND WEIGHT

Dimensions	:	1050 [l] x 600 [w] x 1400 [h] m.m.
Max. U.W.	:	120 kg.
Machine N.W.	:	38 kg.

951

Upright Bike



► TECHNICAL SPECIFICATIONS

Console	: LED with dot matrix
Programs	: Pre-programs, manual, Interval, weight loss, target heart rate, fit test, random, warm up and warm down, etc total 12 programs
Function	: Time, distance, calories, speed, level, watts, pulse, profile, fan, mp3
Min RPM	: 60RPM
Max Watt	: 400W
Resistance	: 20 Levels
Power supply:	Self-Generator
Flywheel	: 15 Kg
Crank arm	: 175mm

► DIMENSIONS AND WEIGHT

Dimensions	: 1200 [l] x 590 [w] x 1510 [h] m.m.
Max. U.W.	: 150 kg.
Machine N.W.	: 62 kg.

713 Massager

Dimension(mm): 965(L)x724(W)x1460(H)



ULTIMATE
GYM SOLUTIONS

AB COASTER



ULTIMATE
GYM SOLUTIONS

PRO BODYLINE IMPORTED AIR ROWER

PROGRAM : MANUAL + P1-P12+3H.R.C. + T.H.R. / +RACE

MODEL+USER+RECOVERY

RESISTANCE : 10 LEVEL MAGNETIC

DIMENSION : 2388 (L) X 800 (W) X 1283 (H) MM

MACHINE WEIGHT : 43 KGS.

Air Rowar

THE UNIQUE FEEL OF ROWING

We created a product for dry land training that has all the benefits of authentic rowing. and much more

The console enables users to monitor performance data from all exercise positions.

All useful metrics are displayed in a clear way



ULTIMATE
GYM SOLUTIONS

Water Rowar

Dimension(mm): 1975(L)x530(W)x510(H)

Highest quality anodized aluminium seat rail for smoothness, appearance, strength and durability.

Durable belt drive: smooth, clean, quiet and built to last.

Solid construction makes this perfect for home gym applications.

Maximum user weight: 136kg





Chest Press

Weight Stack : 100 KG

Shoulder Press

Weight Stack : 100 KG



Pec Fly/ Rear Delt

Weight Stack : 100 KG



Mid Seated Row

Weight Stack : 100 KG



Ultimate Series



Preacher Curl

Weight Stack : 100 KG

Triceps Press

Weight Stack : 100 KG



Seated Row

Weight Stack : 100 KG



Lat Pull Down

Weight Stack : 100 KG





Prone Leg Curl

Weight Stack : 100 KG



Leg Extension

Weight Stack : 100 KG



Multi Press

Weight Stack : 100 KG



Lat Pull Down / Row

Weight Stack : 100 KG

Leg Curl / Extension

Weight Stack : 100 KG



Inner / Outer Thigh

Weight Stack : 100 KG



Shoulder Press

Weight Stack : 100 KG

Butter Fly

Weight Stack : 100 KG



Seated Row

Weight Stack : 100 KG

Chest Press

Weight Stack : 100 KG





Low Back

Weight Stack : 100 KG

Biceps Curl

Weight Stack : 100 KG



Triceps Press

Weight Stack : 100 KG

Upper Limbs

Weight Stack : 100 KG





Rotary Torso

Weight Stack : 100 KG

Lat Pull Down

Weight Stack : 100 KG



Seated Leg Curl

Weight Stack : 100 KG



Prone Leg curl

Weight Stack : 100 KG



Gladiator Series



Multi Press

Weight Stack : 100 KG

Multi Hip

Weight Stack : 100 KG



Leg Press

Weight Stack : 100 KG



Leg Extension

Weight Stack : 100 KG



Gladiator Series



Triceps / Biceps

Weight Stack : 100 KG

Leg Curl / Extension

Weight Stack : 100 KG



Pec Deck / Rear Delt

Weight Stack : 100 KG



Delts Machine

Weight Stack : 100 KG



Lat Pull Down / Row

Weight Stack : 100 KG



Shoulder Press

Dimension(mm): 1560(L)x1580(W)x1650(H)
Weight Stack : 100 KG



Chest Press

Dimension(mm): 1545(L)x1150(W)x1650(H)
Weight Stack : 100 KG



Biceps Curl

Dimension(mm): 1170(L)x1365(W)x1650(H)
Weight Stack : 100 KG



Seated Row

Dimension(mm): 1040(L)x1510(W)x1650(H)
Weight Stack : 100 KG





Back Extension

Dimension(mm): 1170(L)x1365(W)x1650(H)
Weight Stack : 100 KG

Lat Pull Down

Dimension(mm): 1485(L)x1850(W)x2005(H)
Weight Stack : 100 KG



Triceps Press

Dimension(mm): 1580(L)x1150(W)x1650(H)
Weight Stack : 100 KG



Pull Down

Dimension(mm): 1485(L)x1850(W)x2005(H)
Weight Stack : 100 KG





Multi Press

Dimension(mm): 1560(L)x1580(W)x1650(H)
Weight Stack : 100 KG

Horizontal Pulley

Dimension(mm): 980(L)x1815(W)x2005(H)
Weight Stack : 100 KG



Leg Extension

Dimension(mm): 1150(L)x1790(W)x1650(H)
Weight Stack : 100 KG



Horizontal Leg Curl

Dimension(mm): 1135(L)x1700(W)x1650(H)
Weight Stack : 100 KG





Leg Press

Dimension(mm): 1150(L)x1795(W)x1650(H)
Weight Stack : 100 KG

Inner / Outer Thigh

Dimension(mm): 1150(L)x1795(W)x1650(H)
Weight Stack : 100 KG



Multi Hip

Dimension(mm): 980(L)x1250(W)x1650(H)
Weight Stack : 100 KG

Upper Limbs

Dimension(mm): 1475(L)x1260(W)x2335(H)
Weight Stack : 100 KG





Lat Pull Down / Row

Dimension(mm): 1480(L)x1850(W)x2005(H)
Weight Stack : 100 KG

Pec Fly / Rear Delt

Dimension(mm): 1485(L)x1850(W)x2005(H)
Weight Stack : 100 KG



Leg Curl / Extension

Dimension(mm): 1150(L)x1790(W)x1650(H)
Weight Stack : 100 KG





Abdominal machine

Dimension(mm): 1397(L)x1486(W)x1600(H)
Weight Stack : 100 KG

Horizontal Leg Curl

Dimension(mm): 1651(L)x1054(W)x1600(H)
Weight Stack : 100 KG



Upper Limbs

Dimension(mm): 1790(L)x1080(W)x2350(H)
Weight Stack : 100 KG

Multi Press

Dimension(mm): 1905(L)x1473(W)x1600(H)
Weight Stack : 100 KG





Seated Chest Press

Dimension(mm): 1397(L)x1486(W)x1600(H)
Weight Stack : 100 KG

Shoulder Press

Dimension(mm): 1600(L)x1524(W)x1600(H)
Weight Stack : 100 KG



Horizontal Leg Curl

Dimension(mm): 1651(L)x1054(W)x1600(H)
Weight Stack : 100 KG



Inner / Outer Thigh

Dimension(mm): 1680(L)x930(W)x1620(H)
Weight Stack : 100 KG



Jaguar Series



Biceps / Triceps

Dimension(mm): 1270(L)x991(W)x1600(H)
Weight Stack : 100 KG

Pec / Rear Delt

Dimension(mm): 1448(L)x1422(W)x1981(H)
Weight Stack : 100 KG



Lat Pull Down / Row

Dimension(mm): 1981(L)x1207(W)x2286(H)
Weight Stack : 100 KG

Leg Curl / Extension

Dimension(mm): 1473(L)x1130(W)x1600(H)
Weight Stack : 100 KG





Lat Pull Down

Weight Stack : 100 KG

Chest Press

Weight Stack : 100 KG



Leg Extension

Weight Stack : 100 KG



Butter Fly

Weight Stack : 100 KG



Horizontal Leg Curl

Weight Stack : 100 KG



Triceps Dips

Weight Stack : 100 KG



Horizontal pulley

Weight Stack : 100 KG



Upper Limbs

Weight Stack : 100 KG



Leg Press

Weight Stack : 100 KG



Seated Row

Weight Stack : 100 KG



Pec Fly / Rear Delt

Weight Stack : 100 KG



Shoulder Press

Weight Stack : 100 KG



Multi Hip

Weight Stack : 100 KG



4000 Series



Weight Assisted Dip Chin

Weight Stack : 110 KG

Incline Chest Press

Weight Stack : 110 KG



Lateral Raise

Weight Stack : 110 KG



Mid Row

Weight Stack : 110 KG





Prone Leg Curl

Weight Stack : 110 KG

Chest Press

Weight Stack : 110 KG



Triceps Dip

Weight Stack : 110 KG

Pull Down

Weight Stack : 110 KG



Leg Press

Weight Stack : 110 KG




Leg Extension

Weight Stack : 110 KG



Leg Curl

Weight Stack : 110 KG



Horizontal Row

Weight Stack : 110 KG





Preacher Curl

Weight Stack : 110 KG

Triceps Press

Weight Stack : 110 KG



Pec Fly / Rear Delt

Weight Stack : 110 KG





Prone Leg Curl

Weight Stack : 110 KG

Leg Extension

Weight Stack : 110 KG



Leg Press

Weight Stack : 110 KG



Mid Row

Weight Stack : 110 KG





Lateral Delt

Weight Stack : 110 KG

Seated Chest Press

Weight Stack : 110 KG



Shoulder Press

Weight Stack : 110 KG

Upper Limbs

Weight Stack : 110 KG



Incline Chest Press

Weight Stack : 110 KG



Triceps Press

Weight Stack : 110 KG



Horizontal Row

Weight Stack : 110 KG



Pull Down

Weight Stack : 110 KG



Triceps / Precher Curl

Weight Stack : 110 KG



Leg Curl / Extension

Weight Stack : 110 KG



Pec Fly / Rear Delt

Weight Stack : 110 KG





Shoulder Press

Dimension(mm): 1310(L)x1201(W)x1420(H)
Weight Stack : 100 KG

Chest Press

Dimension(mm): 1310(L)x1201(W)x2097(H)
Weight Stack : 100 KG



Upper Limbs

Dimension(mm): 1266(L)x1470(W)x2300(H)
Weight Stack : 100 KG

Multi Press

Dimension(mm): 1960(L)x1306(W)x1420(H)
Weight Stack : 100 KG



Lat Pull Down / Row

Dimension(mm): 1896(L)x1219(W)x2245(H)
Weight Stack : 100 KG



Biceps / Triceps

Dimension(mm): 1422(L)x1138(W)x1422(H)
Weight Stack : 100 KG



Pec Deck / Rear Delt

Dimension(mm): 1390(L)x1419(W)x2097(H)
Weight Stack : 100 KG



Leg Extension / Curl

Dimension(mm): 1310(L)x1201(W)x1420(H)
Weight Stack : 100 KG



Power Series



Pull Down

Weight Stack : 100 KG

Multi Press

Weight Stack : 100 KG



Abdominal Machine

Weight Stack : 100 KG



Seated Row

Weight Stack : 100 KG





Dip Chin

Weight Stack : 100 KG

Chest Press

Weight Stack : 100 KG



Shoulder Press

Weight Stack : 100 KG



Back Extension

Weight Stack : 100 KG





Leg Extension

Weight Stack : 100 KG

Triceps Dip

Weight Stack : 100 KG



Horizontal Leg Curl

Weight Stack : 100 KG

Preacher Curl

Weight Stack : 100 KG



Inner / Outer Thigh

Weight Stack : 100 KG



Lat Pull Down / Row

Weight Stack : 100 KG



Leg Curl / Extension

Weight Stack : 100 KG



Triceps Press / Biceps Curl

Weight Stack : 100 KG



Pec Deck / Rear Delt

Weight Stack : 100 KG



ALPHA Series



Pull Down

Dimension(mm): 1220(L)x1702(W)x2210(H)
Weight Stack : 100 KG

Lat Pull Down

Dimension(mm): 1321(L)x787(W)x2134(H)
Weight Stack : 100 KG



Biceps Curl

Dimension(mm): 1300(L)x1449(W)x1581(H)
Weight Stack : 100 KG



Biceps / Triceps

Dimension(mm): 1320(L)x1120(W)x1580(H)
Weight Stack : 100 KG



ALPHA Series



Pec Fly / Rear Delt

Dimension(mm): 1320(L)x1235(W)x2040(H)
Weight Stack : 100 KG

Lat Pull Down / Row

Dimension(mm): 2110(L)x1220(W)x2060(H)
Weight Stack : 100 KG



Multi Press

Dimension(mm): 1400(L)x1960(W)x1640(H)
Weight Stack : 100 KG



Leg Curl / Extension

Dimension(mm): 1160(L)x1600(W)x1580(H)
Weight Stack : 100 KG



JAGUAR
Series
Cable Cross
Weight Stack : 100kg X 2



LIFE CARE
Series
Cable Cross
Weight Stack : 100kg X 2



ROYAL
Series
Cable Cross
Weight Stack : 100kg X 2



DUAL ARMS

cable Cross

Weight Stack : 100kg X 2




ENERGIE FITNESS

Series

cable Cross

Weight Stack : 100kg X 2



JAGUAR Series

Functional Trainer

Weight Stack : 100kg X 2



EXECUTIVE Series Functional Trainer

Weight Stack : 100kg X 2



LIFE CARE 679 Series Functional Trainer

Weight Stack : 100kg X 2




JAGUAR

Series

Functional with Smith

Weight Stack : 100kg X 2



LIFE CARE

Series

Functional with Smith

Weight Stack : 100kg X 2



ROCK PRIME
Series
Power Rack



MWH 17
Series
Power Rack



J 21
Series
Power Rack



EXECUTIVE Series

Smith With
Squat Rack



LIFE CARE 3D Series

Smith Machine



ROYAL
Series
Smith Machine



EXECUTIVE
Series
Smith Machine



IMPACT
Series
Smith Machine



IMPACT PRO

Series
Leg Press



IMPACT

Series
Leg Press



EXCUTIVE Series

Leg Press
B-022



Series

Leg Press
XH 022



EXCUTIVE Series

Leg Press
&
Hack Squat



QUANTUM Series

Leg Press
&
Hack Squat



Rock Rider Series



Biceps Curl



Calf Raise



Decline Chest Press



High Row

Rock Rider Series

Kneeling Leg Curl



Front Pull Down



Shoulder Press



Triceps Press



Rock Rider Series

Incline Chest Press



Leg Extension



Leg Press Row



Incline Chest Press

Dimension(mm): 1650(L)x1255(W)x1695(H)



Wide Chest Press

Dimension(mm): 1450(L)x1182(W)x1730(H)



Shoulder Press

Dimension(mm): 1400(L)x1200(W)x1570(H)



Row Machine

Dimension(mm): 1435(L)x1210(W)x1320(H)





Rear Kick

Dimension(mm): 1115(L)x1330(W)x1695(H)



Pull Down

Dimension(mm): 1110(L)x1170(W)x1990(H)



Low Row

Dimension(mm): 1480(L)x1330(W)x1680(H)



Leg Press

Dimension(mm): 2020(L)x1925(W)x1690(H)

ROYAL Bench Series



Utility Bench

Dimension(mm): 710(L)x510(W)x900(H)



Weight Plate Tree

Dimension(mm): 780(L)x880(W)x1100(H)



ULTIMATE
GYM SOLUTIONS

ROYAL Bench Series



Scott Bench

Dimension(mm): 900(L)x700(W)x900(H)



Roman Chair

Dimension(mm): 1200(L)x660(W)x880(H)



EXECUTIVE

Bench Series



Olympic Flat Bench

Dimension(mm): 1720(L)x1670(W)x1200(H)



Oly. Incline Bench

Dimension(mm): 2010(L)x1680(W)x1400(H)



EXECUTIVE Bench Series

Oly. Decline Bench

Dimension(mm): 2320(L)x1430(W)x1300(H)



ROYAL Bench Series



◀ ◀ ◀
T-Arm Machine
Dimension(mm): 1800(L)x890(W)x570(H)



▶ ▶ ▶
Flat Bench
Dimension(mm): 1350(L)x690(W)x430(H)

Bench Series

Multi Adj. Bench

Dimension(mm): 1676(L)x692(W)x1295(H)



ULTIMATE
GYM SOLUTIONS

ROYAL

Bench Series



Multi Adj. Bench

Dimension(mm): 1676(L)x692(W)x1295(H)



ULTIMATE
GYM SOLUTIONS

ROYAL Bench Series



Leg Raise

Dimension(mm): 1029(L)x775(W)x1664(H)



Barbell Rack

Dimension(mm): 950(L)x700(W)x1300(H)



ULTIMATE
GYM SOLUTIONS



Draw Muscle Machine

Dimension(mm): 1320(L)x490(W)x970(H)



Seated Calf

Dimension(mm): 1270(L)x500(W)x820(H)



ROYAL
Bench Series

ULTIMATE
GYM SOLUTIONS

ROYAL Bench Series

Adjustable Web Board

Dimension(mm): 1650(L)x620(W)x1160(H)



Abdominal Machine

Dimension(mm): 1770(L)x830(W)x1030(H)



ULTIMATE
GYM SOLUTIONS

ROYAL Bench Series

2 Tier Dumbbells Rack

Dimension(mm): 2090(L)x750(W)x770(H)



3Tier Dumbbells Rack

Dimension(mm): 2090(L)x750(W)x870(H)



ULTIMATE
GYM SOLUTIONS

ROYEL

Bench **Series**

SQUAT STAND



ULTIMATE
GYM SOLUTIONS

Super Squat XH 004

Dimension(mm): 2000(L)x1630(W)x1740(H)



ULTIMATE
GYM SOLUTIONS